

MANUAL

Enfan

Horizontal circulation



Version: 2025-07



PREFACE

This user manual is intended for users of these fans and technicians who install and maintain them. The manual and operating instructions are bundled together in a single document.

Each chapter is numbered and, where necessary, divided into sections. The table of contents on page 3 contains an overview of the chapters and paragraphs, with references to page numbers.

CONTENTS

	ord Fout! Bladwijzer niet gedefi i	
	nts	
	entification	
1.1		
1.1	1.1 Description of the device	
	1.2 Specifications	
1.1	1.3 Diagram of the system	
1.2	Users	
1.3	Use	
1.4	Authorized servicers	
1.5	Operating environment	
1.6	Guarantee conditions	
1.7	Relevant directives	
2 Des	escription	7
2.1		
2.2		
	fety instructions	
4 Ins	stallationstallation	
4.1	Enfan parts	9
4.2	How to suspend the Enfan using long mounting brackets	
4.2	2.1 Mount bracket on lattice shelf	11
	2.2 Adjusting the mounting bracket	
4.2	2.3 Attach fan to bracket	12
4.3	Mounting instructions for the Enfan using short mounting brackets	13
4.3	3.1 Attachment bracket to the lattice	13
4.3	3.2 Installation of the bracket to the fan	13
4.4	Mounting instructions for the FG035 fan	
4.4	4.1 Installation of het bracket to the lattice	14
4.4	4.2 Attaching the brackets to the fan	15
4.5	Air flow guide plates	17
4.5	5.1 Configuration of the air flow guide plates	17
4.5		
5 Cor	onnecting thermostatic switch (50 Hz 230–400 VAC)	20
6 Op	peration/using for the first time	21
6.1	Wiring schemes fans	21
6.1	1.1 Connection diagram ZN045 AC fan 230 V ~1 50 Hz	21
	1.2 Connection diagram ZN045 AC fan 230/400V D/Y ~3 50 Hz	21
6.1	1.3 Connection diagram ZN045 EC-fan 200-277 V AC ~1 50/60 Hz	22
6.1		23
7 Ma	aintenance	24
8 Fai	illures and repairs	24
9 Dis	sassembly	24
10	CE Declaration of Conformity	
11	UKCA Declaration of conformity	
Attachn	ments	
Enfan	n mounting brackets	28
	leclaration concerning the fan	
	A Declaration concerning the fan	



1 IDENTIFICATION

This overview contains general information about the device. The purpose of this part is to indicate the limits and overall operation of the device, and the areas it is used in.

1.1 General

1.1.1 Description of the device

The Enfan consists of a fan mounted vertically on a lattice shelf using mounting brackets and mounting brackets. Various accessories are optionally available, such as an inflow/outflow grid and power cord with plug. The power cord depends on the type of fan. It is also possible to order an outflow guide flap so that air is expelled in a certain direction. The working principle of the outflow guide is described in chapter 4.5

There are no direct controls on the Enfan itself. The Enfan will work on an external signal.

1.1.2 Specifications

Туре	ZN045 AC ZAplus 50 Hz	ZN045 AC ZAplus 50 Hz	ZN045 EC 50 Hz / 60 Hz	ZG045 EC 50 Hz / 60 Hz	FG035 EC 50 Hz / 60 Hz
Power (kW)	0.38	0.38	0.42	0.17	0.16
Voltage (V)	230	400	200-277 ~1	200-240 ~1	200-240 ~1
Current (A)	1.7	0.64	1.5-2.1	1.5-1.8	1.35-1.65
Speed (rpm)	1,250	1,250	1,470	1,230	1,710
Capacity (m ³ /h)	5800*	5800*	6400*	5700*	3600*
Thermal contact	Yes	Yes	No	Yes	No
Power cable	Optional	Optional	Optional	Optional	Optional
Signal cable fan	-	-	Optional	Optional	Optional
Total weight (kg)	8.2	8.2	9.3	7.6	5
Certification	CE, EAC,	CE, EAC,	CE, EAC,	CE, EAC,	CE, EAC,
	UKCA	UKCA	cURus, UKCA	cURus, UKCA	cURus, UKCA

Table 1 Fan specifications

The table above describes the standard fans. Other versions, UL/CSA approved, 50 Hz and EC DC with built-in speed control are available on request.




Figure 1: Left to right; FG035 EC / ZN045 / ZG045EC

^{*}Without grids

1.1.3 Diagram of the system

In the picture below there is a schematic view of the most important components of the system with the various types of fans.






Figure 1 Diagram of the Enfan

The long and short mounting brackets can be used on either the ZN045 as the ZG045 fan. Only long mounting brackets can be used for the FG035 fan.

There are more detailed instructions for installation in chapter 4.



1.2 Users

During normal operation, the Enfan is not used directly, it is only controlled by an operator/user via a (central) switch box. Intended users who are allowed to work with the Enfan are persons of at least 18 years old who are employed by the company where the Enfan is installed. This person has been designated by the company management as competent and authorized to manage the Enfan.

Unintended users are users who do not fit the above description. Unintended users are all users who, by using the Enfan, create unsafe situations or endanger themselves or others.

1.3 Use

The Enfan is intended for creating horizontal air recirculation in greenhouses to improve the climate distribution in a greenhouse. This only concerns the movement of air in an environment where the temperature is not below -10°C and not above +50°C.

The Enfan is not intended to use in an environment which differs from the description above.

1.4 Authorized servicers

Maintenance on the Enfan may be carried out by any maintenance company. The preference for carrying out maintenance work goes to VDEG, because everything about the Enfan is known here.

By carrying out periodic maintenance, unnecessary costs or malfunctions can be avoided and higher operational reliability can be achieved.

1.5 Operating environment

The Enfan must be mounted on the bottom beam of the trellis truss in the greenhouse using the mounting brackets supplied by VDEG. The lattice truss to which the Enfan is mounted must be in good condition to be able to support the fan and accessories.

It should not be possible for people to reach the fan without any tools.

The Enfan is not designed for use in any other environment than that described above, except for customer-specific requests under the guidance of Van der Ende. The Enfan is not suitable for use in explosive environments.

1.6 Guarantee conditions

The unit is guaranteed for 6 months after first use.

If a claim is made under guarantee, the parts concerned must be presented to the manufacturer for assessment.

The guarantee is void in the event of any of the following;

- Improper use
- Ignoring the manufacturer's or supplier's advice
- · Unauthorized repair, maintenance or use
- Use of inappropriate power supply connections
- Use of the machine in an unsuitable environment
- Intentional damage or modification of the machine

1.7 Relevant directives

The Enfan complies with the provisions in the following directives which can be found in attachments.

The Enfan is classified as a Class I device according to the Low Voltage Directive.

2 DESCRIPTION

2.1 General

The purpose and function of the Enfan is to create a horizontal air movement in greenhouses. External influences create a natural draft in the greenhouse, which causes a temperature difference. In addition, a difference in humidity can also arise in the greenhouse due to this natural draft. By setting the air in the greenhouse in motion with the Enfan fans, a more equal distribution of temperature and humidity is created, which minimizes the differences over the greenhouse. The air flow has a positive effect on growth, ripening and the crop's susceptibility to fungal diseases.

The Enfan can be used where all kinds of vegetable, fruit and ornamental plants are cultivated.

2.2 Delivery

As standard, the Enfan is supplied without mounting brackets or other accessories. The various parts are supplied in separate packs, and can be assembled on site.



3 SAFETY INSTRUCTIONS

When working on the Enfan, always make sure the plug is disconnected from the power supply! This prevents the fan starting unexpectedly or unintentionally.

Only use self-locking nuts to mount the Enfan. Failure to do so may result in parts vibrating loose and falling off.

When installing or working on the Enfan, keep all the safety instructions in mind for working on height and take care for a safe work environment.

The regulations below are applicable to the Enfan.

Safety symbol	Description
	Automatic starting machine!
	Electric voltage present!
	Danger of falling!
	Rotating parts!
	Remove power plug before working on the system!
	Reading manual obligated!

4 INSTALLATION

This chapter describes the installation of the Enfan. The separate parts must first be assembled into a single unit, ready for suspension.

The Enfan can be attached using either short mounting brackets or long mounting brackets. An overview is attached to help you.

4.1 Enfan parts

Quantity	Description	Туре			
	Enfan model FG035				
1	Ventilator	FG035			
1	Set mounting brackets for FG035	1x mounting brackets for FG035 left 1x mounting brackets for FG035 right 2x rivet m8 8x self-locking nuts m8 4x bolts m8x20 2x bolts m8x12 14x washers m8 1x outflow grid for FG035 4x PA spacers 6.3x15.0x15.0 mm 4x bolt m6x40 12x washers m6 4x self-locking nuts m6			
		1x cable thermostatic switch			
	Enfan model ZN0				
1	Ventilator	ZN045 AC/EC			
1	Set long mounting brackets	2x long mounting brackets 2x rivet m8 8x self-locking nuts m8 4x bolts m8x20 2x bolts m8x12 14x Washers m8			
1	Set short mounting brackets	1x short mounting brackets 1x rivet m8 6x self-locking nuts m8 4x bolts m8x20 10x washers m8			
	Enfan model ZG0	45			
1	Ventilator	ZG045 EC			
1	Set long mounting brackets	2x long mounting brackets 2x rivet m8 8x self-locking nuts m8 4x bolts m8x20 2x bolts m8x12 14x washers m8			
1	Set short mounting brackets	1x short mounting brackets 1x rivet m8 6x self-locking nuts m8 4x bolts m8x20 14x washers m8			

Table 2 Enfan parts

There will be delivered one set of mounting brackets at every Enfan model. Table 2 shows all the different possible suspensions at every Enfan model.



Options				
1	Set outflow grid for Enfan ZN045 + ZG045	1x outflow grid for ZN045 + ZG045		
		4x torx screws		
1	Set inflow grid for Enfan ZN045	1x inflow grid for ZN045		
		4x torx screws		
1	Set inflow grid for Enfan ZG045	1x inflow grid for ZG045		
		4x torx screws		
1	Set outflow guide flap, applicable on:	1x mounting bracket Enfan/Airmix		
	 Enfan model ZN045 short suspension 	4x bolts m10 x 25		
	 Enfan model ZN045 long suspension 	8x washers m10		
	 Enfan model ZG045 short suspension 	4x self-locking nuts m10		
	 Enfan model ZG045 long suspension 	1x (or 2x) outflow guide flap		
		3x (or 4x) bolts m5 x 16		
	Note!: the air guides can't be applied in	6x (or 8x) washers m5		
	combination with an outflow grid	3x (or 4x) self-locking nuts m5		
1	Power cable	Desirable length		
1	Signal cable	Desirable length		

Table 3: Optional products to the Enfan

4.2 How to suspend the Enfan using long mounting brackets

4.2.1 Mount bracket on lattice shelf

- Attach the two mounting brackets (7) to the lattice shelf (1);
 - Use two M8 rivet (4), four M8 standard washers or fender washers (2) and four M8 self-locking nuts (3);
 - See Figure 2;
 - Make sure that the diagonal lip is on the side of the lattice shelf side to which the screen cloth profile is connected (sliding section).




Figure 2 Mounting of bracket on lattice shelf

4.2.2 Adjusting the mounting bracket

The numbering in Figure 2 is used for the instructions for adjusting the mounting brackets.

- Adjust the mounting bracket (7), so the fan is vertical;
 - o use one M8x12 bolt (5) and one m8 fender washer (6);



4.2.3 Attach fan to bracket

- Attach the fan (5) to the mounting brackets (4);
 - Use four M8 x 20 bolts (1), eight M8 fender washers (2) and four M8 self-locking nuts (5);
 - See Figure 3;
 - When there is an inflow or outflow grid applied at the ZN045 fan, there will be delivered torx screws with it.




Figure 3 Mounting ZN045 and ZG045 fan

4.3 Mounting instructions for the Enfan using short mounting brackets

4.3.1 Attachment bracket to the lattice

- Attach the mounting bracket (3) to the lattice (2);

 o Use a rivet M8 (1), two M8 fender washers (4) and two M8 self-locking nuts (5);
 - See Figure 4;




Figure 4 Installation of the bracket to the lattice

4.3.2 Installation of the bracket to the fan

The numbering in Figure 4 is used for the instructions for adjusting the mounting brackets.

- Attach the fan to the mounting bracket (3);
 - O Use four M8 x 20 bolts (6), eight M8 washers (4) and four M8 self-locking nuts (5);



4.4 Mounting instructions for the FG035 fan

The mounting brackets for the FG035 fan are special developed to attach this fan to the lattice. This special developed mounting brackets fix the fan and optionally outflow grid. With the help of these mounting brackets it's possible to mount the fan on three different heights.

4.4.1 Installation of het bracket to the lattice

Attach the mounting bracket to the lattice following the steps of chapter 4.2.1.




Figure 5 Mounting of the FG035 fan

4.4.2 Attaching the brackets to the fan

The numbering from Figure 6 is used for mounting the FG035 fan to the mounting brackets and the outflow grid.

- Attach the fan (1) to the mounting brackets (3) with the optionally outflow grid (2);
 - Use four M8 x 20 bolts(4), eight M8 washers (6) and four M8 self-locking nuts (5) for the attachment of the fan (1) to the mounting brackets (3);
 - Use four spacers (7), four M6x40 bolts (8), twelve M6 washers (9) and four M6 self-locking nuts (10) for attaching the outflow grid (2) to the mounting brackets (3);

To have a clear view of the installation of the mounting brackets to the fan, see Figure 7 on p. 16.




Figure 6: Mounting of the FG035 fan and outflow grid to the mounting brackets




Figure 7: Mounting of the FG035 fan and outflow grid to the mounting brackets

4.5 Air flow guide plates

Air flow guide plates direct the air that is blown from the ventilator. Various configurations are possible to control the air flow. The configurations presented in chapter 4.5.1 are tested by VDEG on their desired effect. However, due to differences in installations, it is recommended to perform a single test prior to implementation, in order to obtain the most desirable effect.

4.5.1 Configuration of the air flow guide plates

The number of guide plates attached to the Enfan and their orientation are vital for determining the air flow. The configurations with one guide plate are shown in Figure 8. The left configuration restricts the airflow downwards whilst the right restricts the flow upwards. A downwards restriction might be necessary if the airflow affects the crop too much. An upwards air flow restriction is imposed when the flow affects the screen cloth too much.




Figure 8 Downward (left) and upward (right) air flow restriction

If the configurations in Figure 8 do not influence the air flow enough, one can choose to use two air flow guide plates to restrict the flow. Figure 9 shows these configurations. The left configuration is used to limit the downward air flow even more. Respectively, the right configuration limits the upward flow even more than the one in Figure 12 does.




Figure 9 Extra downward (left) and upward (right) air flow restriction



4.5.2 Assembling the air flow guide plates

To attach the guide plates to the Enfan, the mounting bracket must first be attached to the fan. One can also choose to attach the guide plates to the mounting bracket before connecting the bracket to the Enfan.

Requirements:

- 1x mounting bracket
- 4x hexagonal tap bolt m10 x 25
- 8 x washer m10
- 4x lock nut m10




Figure 10: Flow guide plates mounting bracket

The mounting bracket will be connected to the fan according to Figure 10. Depending on the configuration, the bolts passing through horizontal strip of the mounting bracket will fixate either one or two air flow guide plates.

Requirements for mounting one flow guide plate:

- 1x Air flow guide plate
- 3x hexagonal tap bolt m5 x 16
- 6x washer m5
- 3x lock nut m5

When one air flow guide plate is connected to the mounting bracket, Figure 11 shows how it needs to be assembled .




Figure 11: Connecting one air flow guide plate to mounting bracket

If two guide plates are used to guide the air flow, Figure 12 shows how they are connected to the mounting bracket.

Requirements for mounting one flow guide plate:

- 2x Air flow guide plate
- 4x hexagonal tap bolt m5 x 16
- 8x washer m5
- 4x lock nut m5




Figure 12 Connecting two air flow guide plate to mounting bracket

When exhaust guide plates are used in combination with an exhaust grille, the above mounting bracket cannot be used. In this case, the guide plates must be used the other way around, whereby they must be mounted to the exhaust grille with tyraps.



5 CONNECTING THERMOSTATIC SWITCH (50 HZ 230-400 VAC)

A thermostatic switch is built in to the winding of every fan as standard. When connected, this switch turns the motor off if voltage levels are exceeded and the internal temperature rises above 100 °C. The motor gets too hot if the fan becomes blocked, or similar.

Connecting the fan in this way increases its life span. Connect the fan as shown in Figure 13 and 14. The thermostatic switch is connected in series with the phase. The red line in Figure 13-14 is the connection between TB and U1.

The FN035 thermostatic switch is NOT connected as standard in the factory, so this task must be carried out by the installer.

PLEASE NOTE: This thermostatic switch has no hard reset, so when the engine has cooled sufficiently it will restart. Therefore, always disconnect the plug from the power supply during maintenance!

For 1~-motor with capacitor and ther-

mostatic switch
Airflow direction: V

Direction of rotation: clockwise

Cable colours:

U1 brown


U2 blue


Z1 black

Z2 orange

TB white

Figure 13 Wiring diagram ZN045





NB: an external protective device with a hard reset is available on request. External protective devices are available for all types of fans. In combination with the internal thermostatic switch, this protective device can turn off the installation via an alert and reset.

A 400 V 3-phase fan must always be fitted with external thermal protection! A thermostatic switch which can be connected to external protection is also built in to the winding of the 3-phase version.

6 OPERATION/USING FOR THE FIRST TIME

Operating the Enfan is simple: if it is connected to the power supply it will start ventilating, if it is disconnected it will stop ventilating. It is possible to set the speed of the AC fans by adjusting the voltage at the plug with something like a control transformer or inverter. Please contact your supplier for more information. The speed control of an EC fan, based on a 0-10V signal, is described in sections 6.1.3 and 6.1.4.

6.1 Wiring schemes fans

6.1.1 Connection diagram ZN045 AC fan 230 V ~1 50 Hz

If the ZN045 AC 230 V \sim 1 fan has a connection frequency of 60 Hz, it is connected identically to the fan operating at 50 Hz.

Note: In this scheme, the thermostatic switch is not connected yet (see Figure 13 and 14)!




Figure 15 Wiring scheme ZN045 AC fan 230 V ~1 50 Hz

6.1.2 Connection diagram ZN045 AC fan 230/400V D/Y ~3 50 Hz




Figure 16 Wiring scheme ZN045 AC fan 230/400 V D/Y ~3 50 Hz



6.1.3 Connection diagram ZN045 EC-fan 200-277 V AC ~1 50/60 Hz




Figure 17: Connecting diagram ZN045-6IL

The power cable for the ZN045 is an 1-phase cable. This power cable must be connected to the following terminals inside the terminal box of the fan (see Figure 17):

Live-wire (brown) to 'L1'
 Neutral-wire (blue) to 'N'
 Earth wire (green/yellow) to 'PE'

The main voltage where the EC-Fan is connected to must be corresponding to the voltage which is given on the type plate/sticker on the side of the fan. This main voltage must meet with the quality characteristics of EN50160 and the defined voltages of IEC60038.


The digital input (D1) is the external start on which the fan is turning on and off. When the terminals 'D1' and 'DC Out' are connected, the fan is enabled to switch on and off. The fan will operate following the preferred speed. The applied wire diameter is dependent on the length of the wire.

It is possible to regulate the RPM of the ZN045 by an external signal. The advice is to use a shielded cable for this external signal. There are multiple options to apply as an external signal:

- 0...10V + on E1, - on GND - 0...100% PWM + on E1, - on GND

Potentiometer + on 10V, – on GND and the signal on E1

The ZN045 EC-Fan is equipped with the possibility of MODBUS communication with a RS-485 interface. To use the MODBUS communication, terminals 'A (D+)' and 'B (D-)' must be connected. In the case of attaching multiple fans to each other with MODBUS, this must be done in a serial circuit like it's done in the following figure.



The recommended cables for using MODBUS communication;

- CAT5 / CAT7 wires
- J-Y (ST) Y 2x2x0,6
- AWG22 (2x2 twisted pair)

6.1.4 Connection diagram ZG045 and FG035




Figure 18 (left) Connecting diagram ZG045 and FG035
Figure 19 (right) Connecting feedback circuit in the ZG045 and FG035

The power cable for the ZG045 and the FG035 is an 1-phase cable. This power cable must be connected to the following terminals inside the terminal box of the fan (see Figure 18):

Live-wire (brown) to `L1'
Neutral-wire (blue) to `N'
Earth wire (green/yellow) to `PE'

The main voltage where the EC-Fan is connected to must be corresponding to the voltage which is given on the type plate/sticker on the side of the fan. This main voltage must meet with the quality characteristics of EN50160 and the defined voltages of IEC60038.

It is possible to regulate the RPM of the fans by an external signal. The advice is to use a shielded cable for this external signal. There are multiple options to apply as an external signal:

Potentiometer + on 10V, – on GND and the signal on E1

When a signal cable (4x 0.34 mm² LIY-CY shielded cable) is optionally purchased for a 0... 10V control, the following connections must be maintained:

Fan terminal block (see Figure 18)	Signal cable	Connection
Red (RD)	Brown	Not used
Blue (BU)	Green	- Connection 0 10V
White (WH)	White	Not used
Yellow (YE)	Yellow	+ connection 0 10V

The ZG045 has no external start. The EC-Fan will start as soon as the above described wiring is properly connected and the external signal is sufficient enough to run the fan.

The ZG045 has no possibility to use Modbus communication.

To read out the current RPM of the fan for feedback is possible by the connecting diagram of Figure 19. Place a $5k\Omega$ resistor between the terminals '10V DC OUT' and 'A1 open-collector out'. The measured the frequency between A1-GND gives the revolutions <u>per second</u>. Multiply he measured frequency with 60 to get the revolutions per minute (RPM).



7 MAINTENANCE



Make sure that there <u>is no</u> voltage on the system and that it is protected against reactivation before carrying out any maintenance work!

The Enfan requires relatively little labor in terms of maintenance. The maintenance of the Enfan is:

- Check that the fan can rotate freely. Do this by manually turning the fan according to the correct direction of rotation. For the direction of rotation, see the arrow on the fan blades.
- Keeps the suction and discharge side of the fan free of foreign objects and contaminants.
- If the fan blades and the fan housing are dirty, clean them with a damp cloth.
 - When cleaning, use clean water without any kind of harsh liquids or solvents
 - o Do not point a high-pressure cleaner at the installation!
- After cleaning, run the fan at 80-100% for at least 30 minutes to allow any moisture to evaporate from the engine.
- The ball bearings in the fan are said to last 30,000 40,000 operating hours. After this time frame, it may be necessary to replace it (or have it replaced). This depends on the observations during checking for free rotation. The advice is to replace the ball bearings preventively after 40,000 operating hours.

When the Enfan is used in an environment with high relative humidity, it is recommended to run the fan at 80–100% for <u>at least 2 hours per month</u>. This is recommended to allow any moisture which has penetrated into the engine to evaporate. This prevents the fans from not starting after a long period of downtime.

Check once every six months whether the nuts and bolts with which the fan is attached are still properly secured and tighten if necessary. If these have become slightly loose, parts may vibrate loose and fall down, which can cause dangerous situations.

8 FAILURES AND REPAIRS

Experience has shown that failures are virtually inexistent. What can happen in practice is that the thermal protection of the fan is triggered due to an internal defect, such as insufficient cooling.

The ventilator may become blocked due to obstructions on the inlet or outlet side. In many cases, however, it means that the fan has reached the end of its service life, and the Enfan must be replaced.

If the inflow or outflow side of the fan is dirty, the resistance can increase, causing the motor to become warmer. In the event that the engine overheats, it thermally shuts down. In case the engine has become too hot, clean the inflow and outflow sides and free the fan so that it can run again.

9 DISASSEMBLY

Make sure the power plug is disconnected to prevent unintended and unwanted starting of the fan. Make sure the workplace is safe, then remove the self-locking nuts of the U-clamps. The Enfan can now be removed.

10 CE DECLARATION OF CONFORMITY

EC DECLARATION OF CONFORMITY

(In accordance with Annex IIA of the Machinery Directive 2006/42/EC)

We, Van der Ende Pompen

Aartsdijkweg 23 2676 LE Maasdijk

Nederland

declare, under sole responsibility, that the following machine;

Enfan®

to which this declaration relates is in conformity with the following directives;

Machinery Directive 2006/42/EC Low Voltage Directive 2006/95/EC EMC Directive 2004/108/EC

It is also, where appropriate, in conformity with the following standards or other normative documents;

n/a

The Netherlands Maasdijk 14 January 2020 L. van der Ende



11 UKCA DECLARATION OF CONFORMITY

UKCA DECLARATION OF CONFORMITY

We, Van der Ende Pompen

Aartsdijkweg 23 2676 LE Maasdijk

Nederland

declare, under sole responsibility, that the following machine;

Enfan®

to which this declaration relates is in conformity with the following directives;

Supply of Machinery (Safety) Regulations 2008:1597 Electrical Equipment (Safety) Regulations 2016:1101 Electro Magnetic Compatibility Regulations 2016:1091

It is also, where appropriate, in conformity with the following standards or other normative documents; n/a


The Netherlands Maasdijk 15 December 2022 L. van der Ende

ATTACHMENTS

- Enfan mounting brackets
 CE declaration concerning fan
 UKCA declaration concerning fan



Enfan mounting brackets



CE declaration concerning the fan

EU declaration of conformity

- Translation -(english)

ZA89-GB 1615 Index 004 00296770-GB

Manufacturer: ZIEHL-ABEGG SE

Heinz-Ziehl-Straße 74653 Künzelsau Germany

The products:

Axial fan FB..., FC..., FE..., FN..., ZN...

The engine type:

- · Asynchronous internal or external rotor motor
- · Asynchronous internal or external rotor with integrated frequency inverter
- . Electronically commutated (EC) internal or external rotor motor
- · Electronically commutated internal or external rotor motor with integrated EC controller

These products comply with the following EU directives:

. Machinery Directive 2006/42 / EC , Annex IIA

The following harmonized standards are in use:

EN 60204-1:2006 + A1:2009 + AC:2010 Safety of machinery; electrical equipment of machines; Part 1:

General requirements

ENISO 12100:2010 Safety of machinery - General principles for design - Risk

assessment and risk reduction

EN ISO 13857:2008 Safety of machinery; safety distances to prevent danger zones

being reached by the upper limbs

The person authorised for compiling the specific technical documentation is: Dr. W. Angelis, address see above.

Künzelsau, 20.04.2016 (Location, date of issue)

i.V. W. Ungelis

ZIEHL-ABEGG SE Dr. W. Angelis Technical Director Air Movement Division (Name, Function)



UKCA Declaration concerning the fan

UKCA Declaration of Incorporation

- Original -(english)

as defined by the Supply of Machinery (Safety) Regulations 2008 No. 1597, PART 2 / Annex II B

ZA87_UK-GB 2022/17 Index 002

The design of the incomplete machine:

- Axial fan DN.., FA.., FB.., FC.., FE.., FF.., FG.., FH.., FL.., FN.., FP.., FS.., FT.., FV.., VN.., VR.., ZC.., ZF.., ZG..,
- Centrifugal fan ER.., GR.., HR.., RA.., RD.., RE.., RF.., RG.., RH.., RK.., RM.., RR.., RZ.., WR..
- · Cross-flow fan QD.., QG.., QK.., QR.., QT..,

- · Asynchronous internal or external rotor motor (also with integrated frequency inverter)
- · Electronically commutated internal or external rotor motor (also with integrated EC controller)

complies with the requirements in Annex I, Articles 1.1.2, 1.1.5, 1.4.1, 1.5.1 in Supply of Machinery (Safety) Regulations 2008 No. 1597.

The manufacturer is ZIEHL-ABEGG SE

Heinz-Ziehl-Straße D-74653 Künzelsau

The following harmonised standards have been used:

EN 60204-1:2018 Safety of machinery; electrical equipment of machines; Part 1:

General requirements

EN ISO 12100:2010 Safety of machinery - General principles for design - Risk assess-

ment and risk reduction

EN ISO 13857:2019 Safety of machinery; safety distances to prevent danger zones

being reached by the upper limbs
The maintenance of the EN ISO 13857:2019 relates only to the Note:

installed accidental contact protection, provided that it is part of the

scope of delivery.

The specific technical documentation in accordance with Annex VII B has been written and is available in its

The following persons are authorized to compile the technical documents, address see above

The specific documentation will be transmitted to the official authorities on justified request. The transmission can be electronic, on data carriers or on paper. All industrial property rights remain with the above-mentioned manufacturer.

It is prohibited to commission this incomplete machine until it has been secured that the machine into which it was incorporated complies with the stipulations of the Machinery (Safety) Regulations.

Künzelsau, 27.04.2022 (location, date of issue)

ZIEHL-ABEGG SE

Tobias Gauss

Deputy Head of Technics Ventilation Technology

(name, function)

ZIEHL-ABEGG SE

Moritz Krämer Head of Electrical Systems

(name, function)

(signature)

(signature)

ZIEHL-ABEGG





Aartsdijkweg 23, 2676 LE Maasdijk, The Netherlands +31 174 51 50 50 · info@vanderendegroup.com · www.vanderendegroup.com